

NATIONAL SEARCH & RESCUE MANUAL

February 2020 Edition



Australian Government
Australian Maritime Safety Authority



Published by the Australian Maritime Safety Authority (AMSA) on behalf of the Australian National Search and Rescue Council

Written and amended by Senior Sergeant Jim Whitehead, Queensland Police Service.

© This publication is copyright. The reproduction of this work in whole or in part is invited for search and rescue purposes other than commercial purposes provided due acknowledgment is given to the Australian National Search and Rescue Council.

For further information contact the Council Secretariat at:

Secretariat

National Search and Rescue Council

GPO Box 2181

Canberra ACT 2601

2020 EDITION Version 1 – 28 February 2020



Foreword

Search and Rescue (SAR) is the search for and provision of lifesaving assistance to people in distress and imminent danger of loss of life. Australian SAR arrangements are intended to complement other emergency services (police, fire, ambulance) in circumstances where those services are unable to operate effectively. Such circumstances could include, for example, remote area operations, rescues at sea, and the need for specialist SAR facilities not normally available to emergency services.

Depending upon the extent and complexity of the incident and on the available staff and facilities, SAR may take many forms in response to a distress situation. Unless the action is indivisible from that of safeguarding life, a SAR operation does not, however, include salvage or the saving of property.

The Australian search and rescue region covers the Australian continent and large areas of the Indian, Pacific and Southern Oceans as well the Australian Antarctic territories. This is an area of about 52.8 million square kilometres, or about one tenth of the earth's surface. Dedicated SAR assets are limited in Australia and other government, private and commercial assets may be diverted from their primary function by charter, arrangement and request.

In practice, many SAR operations are conducted jointly by Commonwealth and State / Territory authorities. It is, therefore, essential that the available resources and operational techniques are standardised and coordinated across the Australian region.

All SAR authorities in Australia: Australian Maritime Safety Authority, Australian Defence Force and State, Territory and Federal Police must be able to act cooperatively.

In 2017, the Commonwealth, State and Territory Ministers responsible for search and rescue response in Australia updated the Intergovernmental Agreement (IGA) on National Search and Rescue Response Arrangements. The IGA (Appendix A of this Manual) confirmed the National Search and Rescue Council's role as the national coordinating body for search and rescue procedures with a function, among others, of sponsoring this National Search and Rescue Manual.

Documenting standardised techniques and procedures, the National Search and Rescue manual enables SAR authorities to cooperate and coordinate to best effect. By establishing and standardising procedures, the manual seeks to promote effective saving of lives.

Mark Morrow

Chairman

National Search Rescue Council

Introduction

This National Search and Rescue Manual is the result of the recent merger of the aviation, maritime and land search and rescue (SAR) manuals and is the standard reference document for use by all Australian SAR authorities. It is promulgated by the National SAR Council operating under direction from relevant Commonwealth, State and Territory Ministers. The Manual promulgates SAR coordination procedures for SAR operations conducted within Australia and the Australian SAR Region (SRR).

The manual is consistent with the relevant International Conventions to which Australia is a party and is supplemented by various legal, informative and instructional documents used within, and between, organisations concerned with search and rescue. It has been developed with due regard to the International Aviation and Maritime Search and Rescue Manual (IAMSAR).

The National SAR Manual meets the requirements of international conventions for an Australian Search and Rescue Plan, and includes material covering:

- a) Abbreviations, terminology and definitions relevant to SAR practitioners
- b) The elements and functions of the Australian SAR system
- c) Details of communications, assets and procedures for coordination
- d) SAR planning and techniques including worksheets

The National Search and Rescue Manual acts as a set of procedures and guidelines in providing a search and rescue response within Australia. It is understood that the knowledge and experience of officers can extend beyond what is covered within this manual and therefore initiative should be used accordingly in search and rescue operations. It is however, necessary to follow the guidelines outlined within this manual as closely related to the circumstances presented and keep all relevant parties well informed throughout the process. Officers should be prepared to justify their actions if necessary. When developing Standard Operating Procedures (SOP) at the organisational level, care should be taken to ensure that procedures are written consistent with the National SAR Manual. Should an SOP be identified that may be of benefit to the wider SAR community, it is recommended that the issue be raised with the National SAR Council so that inclusion of the procedure into the National SAR Manual can be considered.

This manual is under continual review and will be updated as necessary. The National SAR Manual is promulgated online for the use of all search and rescue practitioners. The Internet version is the controlled document and is the latest version of this manual. The online version should always be referred to as it contains the most up to date information.

Suggestions and questions regarding this Manual should be forwarded to:

The Secretariat of the National SAR Council

Australian Maritime Safety Authority
GPO Box 2181
Canberra ACT 2601

Defence Letter of Promulgation

UNCLASSIFIED



CHIEF OF JOINT OPERATIONS
Headquarters Joint Operations Command

AM3290753

Mr Toby Stone

Chairman, National Search and Rescue Council
Australian Maritime Safety Authority


Dear Mr Stone,

ADF ENDORSEMENT OF THE NATIONAL SEARCH AND RESCUE MANUAL

The Australian Defence Force (ADF) has a long and proud history of conducting Search and Rescue (SAR) operations in support of the civil community. Through our long-running involvement with the National SAR Council, we are fortunate to have developed highly effective relationships with both the Australian Maritime Safety Authority, and the State and Territory police forces. As a previous Commander of [then] Border Protection Command, I have witnessed first-hand the expertise and dedication of Australian SAR professionals under the most challenging circumstances.

The SAR mission is one of utmost importance to the Soldiers, Sailors and Airmen of the ADF. As their Operational Commander I remain committed to the provision of military support if and when it is required. I commend you on the continued success of the National SAR Council and on the proficient realisation of the National SAR Plan. Further, I recognise the high quality of the National SAR (NATSAR) Manual and the important role it plays in coordinating inter-departmental operations. The NATSAR Manual is an authoritative instruction on SAR best practice, and as such I have directed that it be accepted by the ADF as the standard procedural guide for the conduct of ADF SAR operations.

Yours sincerely,


DL Johnston, AM
Vice Admiral, RAN
Chief of Joint Operations

Detops
AOC

B1-1-J001
Department of Defence
PO BOX 7928
CANBERRA ACT 2610
(02) 6128 4000, fax (02) 6128 4020

21 December 2017

Table of Contents

Foreword	1
Introduction	2
Defence Letter of Promulgation	3
Table of Contents	4
Acronyms and Abbreviations	19
Glossary	26
<u>VOLUME ONE: SEARCH AND RESCUE ADMINISTRATION</u>	
Chapter 1 SAR System Organisation	35
1.1 Organisation.....	35
Global SAR System Organisation	35
National and Regional SAR System Organisation	35
Australian Maritime Safety Authority (AMSA)	36
State and Territory Governments	37
Australian Defence Force Responsibilities – Military SAR	38
Headquarters Joint Operations Command.....	38
Airservices Australia	39
Other Commonwealth Agencies/Authorities	39
Bureau of Meteorology (BOM).....	39
Emergency Management Australia (EMA)	39
Maritime Border Command	39
Australian Communications and Media Authority (ACMA).....	39
Australian Transport Safety Bureau (ATSB).....	40
Civil Aviation Safety Authority (CASA).....	40
Volunteer Organisations.....	40
Commercial and Private Organisations	40
1.2 SAR Coordination	41
Overview	41
Alerting Post	41
Determination of SAR Authority Responsible for Overall Coordination	41
Initial Response	41
SAR Authority Best Placed to Coordinate.....	41
Effective Consultation and Coordination	42
Cooperation with Foreign Rescue Coordination Centres	42
Transfer of Coordination	43
Requesting JRCC Australia Assistance	46
1.3 Requesting State / Territory SAR Authority Assistance	47

Requests for Defence Assistance (DACC)	47
Defence Requests for Civil Assistance	48
1.4 Australian Search and Rescue Region	48
1.5 SRR Coordinates.....	49
1.6 Australian States and Land Search Area	49
Chapter 2 SAR Management.....	51
2.1 Overview	51
SAR Authority Responsibilities	51
Forward Command Post.....	52
RCC/Field Search Headquarters (FSH) Staff.....	53
Search and Rescue Roles	54
2.2 Search and Rescue Resources.....	58
Overview	58
Personnel.....	58
Dropmasters, Dispatchers and Observers	59
Rescue Preparation	59
2.3 Public Relations.....	59
Overview	59
Operations involving two or more SAR Authorities	60
Public Relations Officers (PRO's)/Media Officers (MO).....	60
Press Releases	60
Requesting Public Assistance	62
Liaison with Relatives	62
Notification of Next of Kin.....	62
Casualties	62
2.4 Other Emergency Assistance and Services available from JRCC Australia.....	63
General	63
Maritime Safety Information.....	63
Unlawful Acts	63
Chapter 3 Training and Exercises	64
3.1 Requirements for SAR Training.....	64
Training.....	64
Who to Train.....	64
Requirement for Training	65
3.2 National Training Framework	65
Qualifications.....	65
Public Safety Training Package; Police Training Package	65
AMSA RTO	66

State/Territory SAR Authority Training	66
3.3 Search and Rescue Exercises.....	66
3.4 Training of Search and Rescue Units.....	67
Land SAR Training.....	67
Search and Rescue Crew Training	67
Dropmaster and Dispatchers.....	67
Air Observer Training	67
Aviation Search and Rescue Units (SRU)	67
First Aid Training.....	68
Map Reading and Navigation	68
Radio Operating Procedures	68
Field craft.....	68
Observation Skills	69
Observation Skills-Day.....	69
Team and Individual Skills	70
Searchers.....	71
Search Team Leaders/ On-Scene Commanders	71
3.5 Photographic Records.....	72
3.6 Liaison Visits.....	72

VOLUME TWO: SEARCH AND RESCUE OPERATIONS

Chapter 1 Communications	73
1.1 Aviation and Maritime	73
Overview	73
1.2 Distress and Emergency Signals.....	73
Marine Radio Alarm Signal	74
RTF Distress Signal.....	74
RTF Urgency Signal	74
RTF Safety Signal	74
Radiotelephony Distress/Emergency Frequencies.....	74
GMDSS Distress, Urgency, Safety and Calling Frequencies	74
2182 kHz.....	75
4125, 6215, 8291, 12290 and 16420 kHz	75
121.5 MHz	75
156.8 MHz (Marine VHF Channel 16).....	75
243 MHz	75
Safety Frequencies	76
1.3 Global Maritime Distress and Safety System (GMDSS).....	76
1.4 Emergency Signalling Devices	76

Daylight Devices	76
Night-time Devices	77
RADAR/IFF/SSR.....	77
Radio and Distress Beacons.....	78
1.5 COSPAS-SARSAT Distress Beacon Detection System	78
Overview	78
Purpose	78
Satellites	78
Beacon Detection	79
Beacons	80
1.6 Other Types of Distress Alerting Devices.....	80
SPOT Personal Satellite Messenger device (SPOT).....	80
AIS-SART	81
Maritime Survivor Locating Systems. VHF DSC Maritime Survivor Locating Devices (MSLD).....	81
Thuraya Satellite Devices	81
1.7 SAR RADAR Transponder (SART).....	81
Overview	81
1.8 Communications in Support of SAR Operations	83
Overview	83
SAR Frequencies.....	83
SAR Call Signs.....	83
1.9 Communications Facilities	84
Overview	84
Communications Capabilities Australian Defence Force Ships and Aircraft	85
Search and Rescue Visual Signals	85
Merchant Shipping and GMDSS	86
Limited Coast Radio Stations.....	86
Ship Stations	87
Fishing Vessels.....	87
Pleasure Craft	87
Volunteer Organisations.....	87
Communication Capabilities of State & Territory SAR Authorities	88
Communications Aircraft.....	88
Inmarsat Aero.....	88
1.10 Land Search Communications.....	89
Overview	89
1.11 Communications	90
1.12 Communications Officer	90

1.13 Communication Requirements	90
1.14 Headquarter Requirements	90
1.15 Telephone/Radio	90
1.16 Rear Net	91
1.17 Forward Net	91
1.18 Frequencies.....	91
1.19 Radios in general.....	92
1.20 Procedures and Practices.....	92
1.21 Other Methods of Communications	93
Chapter 2 Awareness and Initial Action	96
2.1 Awareness Introduction.....	96
2.2 Types of SAR Incidents.....	96
Maritime SAR Incident.....	97
Aviation SAR Incident	97
Land SAR Incident.....	98
2.3 Recording of Events	98
2.4 SAR Stages.....	98
2.5 Awareness and Initial Action Stages (Stage 1 and 2)	99
Types of Notification Reports.....	99
Evaluation of Notification Reports	100
Information: SAR Incident Information	100
Advising States of Foreign Persons in Distress	103
2.6 Emergency Phases	104
Uncertainty Phase	104
Alert Phase	105
Distress Phase.....	105
2.7 Initial Action: Procedures of the Emergency Phases	106
Overview	106
Uncertainty Phase Initial Action	106
Alert Phase Procedures	107
Distress Phase Procedures	109
2.8 Intelligence Gathering and Assessment.....	110
Overview	110
Communication Checks	110
Intelligence gathering.....	112
Sighting and Hearing Reports.....	115
Coordination with the Police.....	117
Examination of Recorded Communications - Aircraft and vessels.....	117

Flight Path Analysis - Aircraft.....	117
Weather Analysis.....	117
Logistical Information.....	118
General Considerations for the SMC.....	118
Chapter 3 Search Planning and Evaluation.....	123
3.1 Aviation and Maritime Search Planning.....	123
Overview	123
3.2 Aviation and Marine Search Planning Steps	123
Evaluating the Situation	124
Estimating the Distress Incident Location	124
Datum Considerations.....	125
Drift Considerations	126
3.3 Search Response Stages.....	126
Factors Affecting the Search Response Plan	127
3.4 Aviation and Marine Basic Search Planning.....	129
Controlling Factors	129
Search Effort Expenditure Rate	130
Maximum Search Effort.....	130
Search Sequence	131
3.5 Aviation and Marine Determination of Search Areas.....	132
Aviation and Marine Planning	132
Possibility Area	133
Calculation of Circles of Probability.....	136
Probable Errors of Position	137
Search Radius (R).....	137
Drift Error for Waterborne Targets	137
Currents.....	138
Leeway.....	141
Divergence.....	142
Calculating Leeway	142
Plotting Drift	143
Datum Plot.....	143
Drift Error (De).....	144
Search Area Based on Non-Moving Datum	145
Search Based on Moving Datum	145
Labelling the Datum	147
Consideration of Possible Courses of Action by the Captain of the Distress Craft.....	148
3.6 Coastal Search Planning.....	148

Search Area	148
Position Uncertainty	151
Track Line Overdue Incident	152
Recomputed Datum	152
Track Spacing	155
3.7 Land Search Planning	155
Overview	155
3.8 Incident Command	156
3.9 Situational Awareness	157
3.10 Conducting an Appreciation	158
Definition	158
Sequence	158
Phases	158
Aim	158
Limitations	159
Written Statement	159
Factors	159
Examination	159
3.11 Courses Open	160
Plan	160
Planning Principles	160
Keep it simple	160
Relate to the Aim	161
Logical deductions	161
Land Search Planning	161
Scenario-based Assessment	162
Factors Influencing Discovery	162
Analyse possible land strategies	163
Raise land search strategies	163
Identify priority land search area	163
Ongoing reassessment of land search	163
Search Urgency Assessment (SUA)	164
3.12 Terrain Factors	164
3.13 Land Environments	165
Rainforest	165
Alpine Environment	167
Arid Environment	169
Mountain Environment	171
Dangerous Animals	177

Telephone Triangulation	179
Land Search Planning	179
Reflex Search	179
3.14 Formal Search	181
Theoretical Search Strategy (Naismith's Rule)	181
Statistical Strategy (Lost Person Behaviour).....	183
3.15 Subjective/Decision Point Strategy.....	185
Decision Points	186
3.16 Deductive Strategy.....	188
Using all four Formal Search Strategies.....	188
3.17 Recording of search areas.....	198
Behaviour of Lost People.....	205
Mass Casualty SAR Incidents	208
Urban SAR (USAR)	209
Coordination.....	209
Initial Actions.....	210
Working under or within a MIR.....	210
MIR Liaison Officer	211
Field Search Headquarters	211
Searching.....	212
Land Search problems	213
Search Area Delineation	213
Tasking sheets	215
Briefings.....	216
Record Keeping	217
Passive Searching	219
Chapter 4 Search and Rescue Techniques	221
4.1 Aviation and Maritime Search Operations	222
Overview	222
4.2 General Guidelines for Searches.....	222
Stage One Search: Immediate response	222
Stage Two Search: Nominated Area Either Side of Track.....	223
Stage Three Search: Mathematically Derived Area.....	224
4.3 Marine and Aviation Search Area Coverage	225
General	225
Sweep Width (W): Factors affecting Sweep Width	225
Track Spacing (S).....	231
Coverage Factor (C)	232

Aviation and Marine Probability of Detection (POD)	232
4.4 Navigation of SAR Units	234
4.5 Visual Search Patterns (Marine and Aviation)	235
General	235
Parallel Track Search Pattern	236
Creeping Line Patterns	238
Track Line Search.....	239
Expanding Square Search	240
Sector Search.....	242
Aural Search by Surface Craft.....	245
Coastal Search (Islands and their Foreshores)	245
Contour Search by Aircraft	246
Mountainous or Rugged Terrain Searches	249
Line Abreast Helicopter Searches.....	249
Marine and Aviation Search Considerations	250
4.6 Flare Searches	251
4.7 Electronic Searches	251
Distress Beacons.....	251
Maximum Radio Signal Range Calculations.....	254
Signal Heard, Signal Fade Plotting Method	255
De-tuning Method	255
Hill Shading.....	255
Locating a Signal from the Ground.....	256
Search by RADAR.....	257
Search by Infrared (IR) Devices	257
Night Vision Goggles.....	257
4.8 Marine and Aviation SAR Asset Selection and Characteristics	258
Overview	258
Air Assets.....	258
Australian Defence Force Air Assets.....	261
Customs and Border Force Aircraft	262
Maritime Assets.....	262
Naval Vessels	263
Customs Vessels	263
Use of Merchant Shipping.....	263
Equipment for Marine Craft	264
Land Search Facilities	264
4.9 Marine and Aviation Search Asset Allocation	264
Introduction.....	264

Aircraft Capability	265
Calculation of Search Time Required	265
Calculation of Search Time Available	266
Investigation Time	266
Effective Search Time	267
Comparison of Search Time Required and Time Available for Search Aircraft	267
Allocation Variations to Suit Particular Aircraft.....	269
Allocation Chart Presentation	269
4.10 SAR Crew Briefing	270
General	270
Search Briefing	270
Search Aircrew Briefing	272
Search Aircraft Operations	273
Communications Relay Aircraft	273
Top Cover Aircraft	274
Maritime Search Crews	274
Land Assets in Aircraft Search	275
4.11 SAR Crew Debriefing	276
Overview	276
4.12 Land Search Operations	276
Overview	276
4.13 Land Search Assets.....	277
Land Assets	277
Land Search using Marine Assets	282
Land Search Considerations for Air Assets	283
Land Search Action Plan	285
General Search	288
Contact Search	289
4.14 Land Search Area Coverage	290
Land SAR Target Type	291
Land SAR Meteorological Visibility	291
Type of Terrain/Conditions	291
Land Search Speed	292
Cloud Cover and Sun Light.....	292
Land SAR First and Last Search Light	292
Land SAR Probability of Detection.....	293
Visual Horizon: Ankle Rule.....	293
Area Swept	294
Accuracy of Navigation by Land Search Teams	296

Land SAR Night Searching.....	296
Searching in Hazardous Areas	297
4.15 Land Search Patterns	297
Common Land Search Patterns	299
4.16 Clue Recognition and Interpretation	313
General Principles.....	313
4.17 Land Search Briefings.....	315
Preparation.....	316
Mattson Consensus	321
Chapter 5 Rescue Planning Operations	323
5.1 Rescue General	323
5.2 Medical Assistance.....	324
5.3 Aircraft Accidents.....	324
Health Hazards	324
5.4 Rescue on Land	325
Avoidance of Danger	326
5.5 Rescue at Sea	327
Use of Rescue Boats and Vessels.....	327
Marking Targets.....	328
5.6 Rescue Assets.....	328
Use of Aircraft for Rescue.....	328
Use of Helicopters for Rescue	328
Use of Top Cover Aircraft with Rescue and MEDEVAC Helicopters	329
5.7 Supply Dropping and Delivery of Survival Equipment	330
Civil SAR Equipment	330
Supply Drop from Aircraft over Sea.....	331
Supply Drop from Helicopter over Sea.....	331
Supply Drop from Aircraft over Land.....	331
Chapter 6 Conclusion of SAR Operations	333
6.1 Conclusion General	333
6.2 Conclusion of a successful SAR operation	333
6.3 Suspension/termination of a search when the target is not found.....	333
6.4 Reopening a Suspended Search.....	335
6.5 Records and Reports	335
6.6 Incident Debriefs.....	336
Conducting the Debrief	337
Lesson for improvement	338
6.7 Case Studies	338

6.8 Peer Reviews	339
Chapter 7 Medical Factors	339
7.1 General	339
7.2 Time Frame for Survival (TFFS)	339
7.3 Survivor Stress Factors	340
7.4 Survival Environment Factors	341
7.5 Hypothermia	341
7.6 Water Hypothermia	342
7.7 Wind Hypothermia.....	344
7.8 Wind Chill.....	345
7.9 Hypothermia Survivability	346
7.10 Wet-Chill Survivability.....	346
7.11 Water Immersion.....	347
7.12 Effects of Alcohol	348
7.13 Hyperthermia, Heat Stress and Dehydration.....	348
7.14 Heat Exhaustion	349
7.15 Heat Stroke	349
7.16 Hyperthermia Survivability	350
7.17 Terrain Factors	352
7.18 Seeking Medical Advice	353
Appendix A – Intergovernmental Agreement	354
Appendix B – National SAR Responsibilities	367
Appendix C – National Operational Procedure for Transfer of Coordination	371
Guidelines for Procedure to transfer coordination	372
State / Territory SAR Authority Points of Contact	373
Transfer of Coordination Information Exchange Requirements	374
Overview	377
Appendix D-1 Distress Emergency Signals.....	378
Overview	378
International Distress Signals	378
Search and Rescue Signals – Australian Area	378
Civil Air-Ground Code	379
International SAR Signals.....	380
Appendix D-2 Maritime SAR Recognition Code (MAREC).....	381
Overview	381
Part 1 – Merchant Vessels.....	382
Complete example Merchant Ship.....	387
Part 2 – Small Craft.....	388

Appendix D-3 Plotting Symbols	397
Appendix D-4 Sighting and Hearing (SHR) Techniques	398
Listening Techniques	398
Open Questions	398
Closed Questions	398
Leading Questions	398
Instructions for Completing Sighting and Hearing Reports	399
Sighting and/or Hearing Report for Missing Aircraft	400
Sighting and Hearing Report – Generic	401
Sighting and/or Hearing Log	402
Appendix D-5 Tables and Graphs	403
Local Wind Current	403
Leeway Tables (kt)	403
Sweep Width Tables For Visual Search Over Water	403
Sweep Width Tables For Visual Search Over Land:	403
Probability of Detection	403
Local Wind Current	404
Leeway Tables	405
Taxonomy Class Definitions/Descriptions	406
Probability of Detection	413
Sweep Width Tables for Visual Search over Water	414
Weather Correction Factors for all Types of Search Facilities	415
Uncorrected Visual Sweep Widths for Merchant Ships (NM)	415
Uncorrected Sweep Widths for Fixed-Wing Aircraft (NM) at 500 ft and 1000ft	416
Weather Correction Factors for all Types of Search Facilities	417
Uncorrected Sweep Widths for Fixed-Wing Aircraft (NM) at 1500 ft and 2000 ft	418
Weather Correction Factors for all Types of Search Facilities	419
Uncorrected Sweep Widths for Helicopters (NM) – Maritime 500 ft and 1000 ft	420
Weather correction factors for all types of search facilities	421
Uncorrected Sweep Widths for Helicopters (NM) - Maritime 1500 ft and 2000 ft	422
Weather correction factors for all types of search facilities	423
Fixed-wing Aircraft Search Facilities	423
Sweep Width Tables for Visual Search Over Land	424
Correction Factors – Vegetation and High Terrain	424
Appendix D-6 Probable Errors of Position	425
Probable Navigation Error of the Distressed Craft (x)	425
Probable Navigation error of the Search Craft (y)	426
Appendix D-7 Marine and Aviation Worksheets	427

Overview	427
Worksheet 1: Maritime Planning	428
Worksheet 2 – Maritime Search by Aircraft	429
Worksheet 3 – Land Search by Aircraft	430
Worksheet 4 – Search Radius	431
Worksheet 5 – Sector Search	432
Worksheet 6 – Aircraft Allocation	433
Worksheet 7 – Asset Allocation	434
Worksheet 8 – Maritime Search by Vessel.....	435
Appendix D-8 Aircraft Accident Site Precautions	436
Safety Precautions and Procedures at Aircraft Accidents	436
Appendix D-9 Civil Aircraft Search and Rescue Units (SRUs)	437
AMSA Aircraft Tier SRU Capability Definitions	437
Tier 1 SRUs.....	437
Opportunity Based SAR Services	438
Current Aircraft and Police Fixed-Wing Operators.....	439
Air Search Observer Programme	439
Air Search Equipment.....	439
Locations of Tier 1, 2 Assets	439
Appendix D-10 Coastal Datum Search and Rescue Planning	441
A Step-By-Step Guide for SAR Trained Personnel	441
Step-By-Step Guide	442
Position Uncertainty.....	447
Step-By-Step Guide	448
Time Uncertainty.....	451
Step-By-Step Guide	452
Track Line Overdue.....	456
Step-By-Step Guide	457
Multiple Winds	465
Step-By-Step Guide	466
Multiple Current and Winds.....	468
Step-By-Step Guide	469
Overview	471
Appendix E-1 Search Urgency Assessment Form.....	472
Appendix E-2 Missing Person Questionnaire	474
Appendix E-3 Object Questionnaire.....	475
Appendix E-4 Land SAR Checklist	476
Appendix E-5 Lost Person Behaviour	481

Lost Person Behaviour	481
Lost Person Behaviour Definitions:	481
Appendix E-6 Land Search Planning Tables	497
Land Search Planning Tables	497
Land Search Area Quick Reference	498
Land Air Search Planning Table	498
Vegetation Correction Factor (Ve)	499
Appendix E-7 Additions to Naismith’s Rule	500
Appendix E-8 Land SAR Probability of Detection (Land).....	501
Appendix E-9 Mattson Consensus.....	506
Appendix E-10 Land Search Organisation Chart Example	507
Appendix E-11 Field Search Headquarters Layout Example	508
Appendix E-12 Search Communications Network Example.....	509
Appendix E-13 Clue Recognition	510
Appendix E-14 SAR Tasking Sheet Example.....	512
Appendix E-15 Search for Skeletal Remains	513
Appendix E-16 Peer Review Form Example.....	515
Index	517

Acronyms and Abbreviations

Acronym/ Abbreviation	Meaning
A	Area or search area
ACMA	Australian Communications and Media Authority
ACFT	Aircraft
AFTN	Aeronautical fixed telecommunications network
ADF	Australian Defence Force
ADFLO	Australian Defence Force Liaison Officer
AGL	Above Ground Level
AIP	Aeronautical Information Publication
ALRS	Admiralty List of Radio Signals
AIS	Automatic Identification System
AIS-SART	AIS Search and Rescue Transmitter
AM	Amplitude modulation
AMVER	Automated Mutual-assistance Vessel Rescue
AMSA	Australian Maritime Safety Authority
AMSL	Above Mean Sea Level
A/SMC	Assistant Search and Rescue Mission Coordinator
ASH	Actual Search Hours
ASRK	Air Sea Rescue Kit (RAAF)
ATA	Actual time of arrival
ATC	Air Traffic Control
ATD	actual time of departure
ATS	Air Traffic Services
ATSB	Australian Transport Safety Bureau
AUMCC	Australian Mission Control Centre
AULUTE	Australian Local User Terminal East
C	Coverage Factor
CAO	Civil Aviation Order
CAR	Civil Aviation Regulations
CASR	Civil Aviation Safety Regulations
C/C	Cabin cruiser
CES	Coast Earth Station (Inmarsat) see also LES
CRS	Coast radio station
CSP	Commence Search Point
CSS	Coordinator surface search (maritime)
CTAF	Common Traffic Advisory Frequency

Acronym/ Abbreviation	Meaning
D	Datum
D	Diameter
DACC	Defence Aid to the Civil Community
De	Total drift error
DCJOPS	Deputy Chief Joint Operations
DCS	Defence Communications Station
DF	Direction finding
DR	Dead-reckoning
DGPS	Differential GPS
DSC	Digital selective calling
dwt	Dead weight tonnes
E	East longitude
E	Total probable error of position
ELR	Extra-long range aircraft
ELT	Emergency locator transmitter
EMA	Emergency Management Australia
EPIRB	Emergency position indicating radio beacon
ERSA	En Route Supplement Australia
ETA	Estimated time of arrival
ETD	Estimate time of departure
FCP	Forward Command Post
FFB	Forward Field Base
F/V	Fishing vessel
Fig	Figure
FIR	Flight information region
FLIR	Forward looking infrared
FM	Frequency modulation
FSH	Field Search Headquarters
Ff	Fatigue Factor
Fs	Safety Factor
Ft	Feet
Fw	Weather Factor
GHz	Gigahertz
GMDSS	Global Maritime Distress and Safety System
GNSS	Global Navigation Satellite System
GPS	Global positioning system

Acronym/ Abbreviation	Meaning
GS	Ground speed
gt	Gross tonnes
h	Hours
HDG	Heading
HPA	Hectopascals
HEL-H	Heavy helicopter
HEL-L	Light helicopter
HEL-M	Medium helicopter
HF	High frequency
HQAC	Headquarters Air Command (Air Force)
HQJOC	Headquarters Joint Operations Command
I/B	Inboard motor
ICAO	International Civil Aviation Organization
IERCC	International Emergency Response Coordination Centre
IFER	In Flight Emergency Response
IFR	Instrument Flight Rules
IGA	The Inter-Governmental Agreement (IGA) on National Search and Rescue Response Arrangements
IMO	International Maritime Organization
Inmarsat Ltd	International Maritime Satellite Organisation – formally the international Maritime Satellite Organisation
INS	Inertial Navigation System
INTERCO	International Code of SIGNALS
IPP	Initial Planning Point
JCC	Joint Control Centre (ADF)
JRCC	Joint (aeronautical and maritime) Rescue Coordination Centre
JOSS	Joint Operations Support Staff
KHz	Kilohertz
Km	Kilometre (1000 metres)
Kph	Kilometres per hour
kt	knot (nautical mile per hour)
L or l	Length
LCRS	Limited Coast Radio Station
LED	Light Emitting Diode
LES	Land Earth Station (Inmarsat) synonymous with CES
LHQ	Land Headquarters (Army)
LKP	Last Known Position

Acronym/ Abbreviation	Meaning
LPB	Lost Person Behaviour
LRG	Long range
LO	Liaison officer
LUT	Local user terminal
LW	Leeway
m	Metres
M	Degrees magnetic
MAREC	Maritime SAR recognition code
MASTREP	Modernised Australian Ship Tracking and Reporting System
MAYDAY	When repeated three times, this forms the distress call. Any subsequent messages including self-identification, position, nature of distress and other useful information, forms the <i>distress message</i> .
MAX	Maximum
MBC	Maritime Border Command
MBZ	Mandatory Broadcast Zone
MCC	Mission Control Centre
MCS	Maritime Communications Station
MEDEVAC	Medical evacuation
MF	Medium frequency
MIN	Minimum
MHQ	Maritime Headquarters (Navy)
MHz	Mega Hertz
MMSI	Maritime mobile service identity
MPD	Miles per day
MP	Missing Person
MPP	Most probable position
MRG	Medium range
MSC	Marine supply container (RAAF)
MSI	Maritime safety information
MSLD	Maritime Survivor Locating Devices
MSLS	Maritime Survivor Locating Systems
M/V	Motor Vessel
MTS	Mean track spacing (sector search)
n	Number of required track spacings
N	North Latitude
N	Number of searchers
NAVAREA X	Navigational warning area X(ten)

Acronym/ Abbreviation	Meaning
NAVTEX	Is not provided in Australia
NBDP	Narrow-Band Direct Printing
NM	Nautical mile
NOTAM	Notice to airmen
NOK	Next of Kin
NVG	Night vision goggles
O/B	Outboard motor
OSC	On-scene coordinator
P	Pacing (Land Search speed)
PAW	Police Air Wing
P/C	Pleasure craft
PIW	Person in water
PLB	Personal locator beacon
PLS	Position Last Seen
POA	Probability of Area
POB	Persons on board
POD	Probability of detection
POM	Period of Mobility
PPE	Personal Protective Equipment
PR	Public relations
R	Radius
RAAF	Royal Australian Air Force
RADAR	Radio detection and ranging
RAN	Royal Australian Navy
RA-Aus	Recreational Aviation Australia
RB	Rescue boat
RC	River current
RCC	Rescue Coordination Centre
RFDS	Royal Flying Doctor Service
ROW	Rest of the World
RPAS	Remotely Piloted Aerial Systems (also known as drones, UAVs)
RV	Rescue Vessel
S	Track spacing
S	South latitude
SART	Search and Rescue Radar Transponder. Also known as 'Survival Craft Radar Transponder' or 'Radar Transponder'
SF	Signal Fade

Acronym/ Abbreviation	Meaning
SH	Signal Heard
S/V	Sailing vessel
SafetyNET	Communications service provided via Inmarsat-C for promulgation of maritime safety information, including shore-to-shop relays of distress alerts and communications for search and rescue coordination
SAR	Search and rescue
SAREX	Search and Rescue Exercise
SART	Search and Rescue Radar Transponder. Also known as a survival craft radar transponder or radar transponder
SC	Sea current
SDB	SAR Datum Buoys
SECURITE	The safety signal 'SECURITE' indicates that the station is about to transmit a message concerning the safety of navigation or providing an important meteorological warning. The safety message is preceded by the word 'SECURITE' spoken three times.
SES	State Emergency Service
SH	Search Headquarters
SITREP	Situation report
SMC	Search and rescue mission coordinator
SOLAS	International Convention for the Safety of Life at Sea
SOPs	Standard Operating Procedures
SOS	Internationally recognized signal of distress, made by any method of signalling
SP	Splash point
SPOC	Search and rescue point of contact
SRG	Short range
SRR	Search and rescue region
SRS	Single raft system
SRU	Search and Rescue Unit (Aircraft, vessel, search team)
STOL	Short Takeoff and Landing
SURPIC	Surface picture
T	Time
T	Degrees True
T	Search time available
TAS	True air speed
TC	Tidal current
TCA	Time of closest approach
TELEX	Teletype
TFFS	Time Frame for Survival

Acronym/ Abbreviation	Meaning
TL	Team Leader
TWC	Total water current
u	Wind speed
UHF	Ultra-high frequency
ULR	Ultra-long range
USAR	Urban Search and Rescue (Collapsed Buildings)
UTC	Coordinated universal time
v	Speed of search object
V	SAR unit ground speed or aircraft true air speed
V	Velocity
Ve	Vegetation Correction Factor
VFR	Visual flight rules
VHF	Very high frequency
VLR	Very long range
VMC	Visual meteorological conditions
VMS	Vessel Monitoring System
VTS	Vessel Tracking System
w	Width
W	Corrected Sweep Width
W	West longitude
W/C	Wind current
W/V	Wind velocity
Wu	Uncorrected sweep width
Wx	Weather Factor
X	Search target position error
Y	Search unit position error

Glossary

Term	Definition
Aircraft Coordinator (ACO)	A person who coordinates the involvement of multiple aircraft in SAR operations.
Aeronautical drift (Da)	Drift caused by bailout trajectory or aircraft gliding distance.
Aeronautical position	Initial position of a distressed aircraft at the time of re-entry, engine failure, aircrew ejection or bailout.
Aircraft glide	Maximum ground distance an aircraft could cover during descent.
Alert Phase	A situation wherein apprehension exists as to the safety of an aircraft or marine vessel, and of the persons on board.
Alerting Post	Any facility intended to serve as an intermediary between a person reporting an emergency and a rescue coordination centre or rescue sub-centre.
ARGOS	A satellite-based location and data collection system.
AusSAR (see JRCC)	Australian Search and Rescue: a functional description of the Australian Maritime Safety Authority's role in maritime and aviation SAR coordination, communications, and the provision of SAR units. AusSAR does not exist a discrete entity inside AMSA. Whilst the description "AusSAR" is readily understood by other participants in SAR, the term JRCC Australia is preferred.
Awareness Range	Distance at which a search scanner can first detect something different from its surroundings but not yet recognise it.
Awareness Stage	A period during which the SAR system becomes aware of an actual or potential incident.
Captain	Master of a ship or pilot-in-command of an aircraft, commanding officer of a warship or an operator of any other vessel.
Checksum Digit	A digit that is appended to a numeric data element and used to verify its accuracy. Checksum digits are computed by adding the digits of the data element.
Coast Earth Station (CES)	Maritime name for an Inmarsat shore-based station linking ship earth stations with terrestrial communications networks.
Conclusion Stage	A period during a SAR incident when SAR facilities return to their regular location and prepare for another mission.
Coordination	The bringing together of organisations and elements to ensure effective search and rescue response. One SAR authority must always have overall coordination responsibility and other organisations are to cooperate with this agency to produce the best response possible within available resources.
Coordinated Search Pattern	Multi-unit pattern using vessel(s) and aircraft.
Coordinated Universal Time (UTC)	International term for time at the prime meridian.
COSPAS-SARSAT System	An international satellite system designed to provide distress alert and location data from 406MHz distress beacon signals.
Course	The intended horizontal direction of travel of a craft.
Coverage Factor (C)	For parallel sweep searches, Coverage Factor (C) is computed as the ratio of sweep width (W) to track spacing (S). $C = W/S$.
Craft	Any air or sea-surface vehicle, or submersible of any kind or size.
Datum	A geographic point, line, or area used as a reference in search planning.

Term	Definition
Datum Area	Area where it is estimated that the search object is most likely to be located.
Datum Line	A line, such as the distressed craft's intended track line or a line of bearing, which defines the centre of the area where it is estimated that the search object is most likely to be located.
Datum Point	A point, such as a reported or estimated position, at the centre of the area where it is estimated that the search object is most likely to be located.
Dead Reckoning (DR)	Determination of position of a craft by adding to the last fix the craft's course and speed for a given time.
Digital Selective Calling (DSC)	A technique using digital codes which enables a radio station to establish contact with, and transfer information to, another station or group of stations.
Direction of Current	Direction toward which a current is flowing. Also called set.
Direction of Waves, Well or Seas	Direction from which the waves, swells, or seas are moving.
Direction of Wind	Direction from which the wind is blowing.
Distress Phase	A situation wherein there is reasonable certainty that a vessel/aircraft, or person, is threatened by grave and imminent danger and requires immediate assistance.
Ditching	The forced landing of an aircraft on water.
Drift	The movement of a search object caused by environmental forces.
Drift Error (De)	See Total drift error.
Emergency Phase	Emergency phases are based on the level of concern for the safety of persons or craft that may be in danger. The three levels of emergency are classified as Uncertainty, Alert, and Distress.
False Alarm	Distress alert initiated for other than an appropriate test, by communications equipment intended for alerting, when no distress situation actually exists.
False Alert	Distress alert received from any source, including communications equipment intended for alerting, when no distress situation actually exists, and a notification of distress should not have resulted.
Fetch	The distance over which the wind blows in a constant direction, without obstruction.
Field Search Coordinator	Term for SMC who coordinates land searches only.
Field Search Headquarters	Land equivalent of a RCC
First RCC	RCC affiliated with the shore station that first acknowledges a distress alert, and which will accept responsibility for all subsequent SAR coordination unless and until coordination is transferred to another RCC.
Fix	A geographical position determined by visual reference to the surface, referencing to one or more radio navigation aids, celestial plotting, or other navigation device.
Forward Looking Infrared (FLIR)	An imaging system, mounted on board surface vessels or aircraft, designed to detect thermal energy (heat) emitted by targets and convert it into a visual display.
General Communications	Operational and public correspondence traffic other than distress, urgency and safety messages, transmitted or received by radio.
Global Maritime Distress and Safety System (GMDSS)	A global communications service based upon automated systems, both satellite-based and terrestrial, to provide distress alerting and promulgation of maritime safety information for mariners.

Term	Definition
Global Navigation Satellite System (GNSS)	Worldwide position and time determination system that includes one or more satellite constellations and receivers.
Great Circle Route	The shortest course between two points on the surface of a sphere. It lies in a plane that intersects the sphere's centre.
Ground Speed (GS)	The speed an aircraft is making relative to the earth's surface.
Heading	The horizontal direction in degrees magnetic in which a craft is pointed.
Hypothermia	Abnormal lowering of internal body temperature (heat loss) from exposure to cold air, wind or water.
Indicated Air Speed (IAS)	The aircraft speed shown on the air speed indicator gauge. IAS corrected for instrument error and atmospheric density equals true air speed.
Initial Position Error (X)	The estimated probable error of the initially reported position of a SAR incident.
Inmarsat Ltd	Formally the International Maritime Satellite Organisation
International Maritime Satellite Organisation (Inmarsat)	A system of geostationary satellites for worldwide mobile communications services, and which support the Global Maritime Distress and Safety System and other emergency communications systems.
Instrument Flight Rules (IFR)	Rules governing the procedures for conducting instrument flight. Also a term used by pilots and controllers to indicate type of flight plan.
Instrument Meteorological Conditions (IMC)	Meteorological conditions expressed in terms of visibility, distance from cloud, and ceiling less than the minima specified for visual meteorological conditions.
Joint Rescue Coordination Centre (JRCC)	A rescue coordination centre responsible for both aeronautical and maritime search and rescue incidents.
Knot (kt)	A unit of speed equal to one nautical mile per hour.
Last Known Position (LKP)	The Last Known Position is a term used in search planning to indicate the last known location of the person, marine craft or aircraft the subject of a search and /or rescue mission. It is also known by its acronym LKP. The LKP may be a boat ramp where a small craft was launched, a reporting point or navigation aid where an aircraft last reported its position or the location where it can be confirmed a person was last sighted e.g., at the start of a walking track. The Last Known Position differs from the other term used in marine search planning of Splash Point or SP.
Leeway (LW)	The movement of a search object through water caused by winds blowing against exposed surfaces.
Land Earth Station (LES)	Land Earth Station (Inmarsat) – synonymous with CES
Local User Terminal (LUT)	An earth receiving station that receives beacon signals relayed by COSPAS-SARSAT satellites, processes them to determine the location of the beacons, and forwards the signals.
MAYDAY	The distress signal "MAYDAY" is used to indicate that a craft or person is threatened by grave and imminent danger and requires immediate assistance. It has precedence over all other communications. The distress message is preceded by the word MAYDAY spoken three times. The word is pronounced 'Mayday' from the French m'aider (help me). Any subsequent messages including self-identification, position, nature of distress and other useful information, forms the distress message.
MEDEVAC	Evacuation of a person for medical reasons.

Term	Definition
Meteorological Visibility	The maximum range at which a large object, such as landmasses or mountains, can be seen. Also referred to as Meteorological Range.
Mission Control Centre (MCC)	Part of the COSPAS-SARSAT system that accepts alert messages from the local user terminal(s) and other mission control centres to distribute to the appropriate rescue coordination centres or other search and rescue points of contact.
Narrow-Band Direct Printing (NBDP)	Automated telegraphy, as used by the NAVTEX system and telex-over-radio.
NAVAREA	One of 16 areas into which the International Maritime Organization divides the world's oceans for dissemination of navigation and meteorological warnings.
NAVTEX	Telegraphy system for transmission of maritime safety information, navigation and meteorological warnings and urgent information to ships. NAVTEX is not provided in Australia - see SafetyNet .
On-scene	The search area or the actual distress site.
On-scene Coordinator (OSC)	A person designated to coordinate search and rescue operations within a specified area
On-scene Endurance	The amount of time a facility may spend at the scene engaged in search and rescue activities.
Overall Coordination	The responsibility of the SAR authority to prosecute a SAR operation for a given target in accordance with Volume 1, Chapter 1, section 1.2, Appendix B or the SAR authority best placed to coordinate efforts of the response agencies that may become involved in a SAR action.
Overdue	A situation where a craft has failed to arrive at its intended destination when expected and remains missing.
PAN-PAN	The international radiotelephony urgency signal. When repeated three times, indicates uncertainty or alert, followed by nature of urgency. The urgency signal "PAN PAN" is used to indicate that the calling station has a very urgent message to transmit covering the safety of a ship, aircraft or person. It has precedence over all other communications, except distress traffic. The urgency message is preceded by the words 'PAN PAN' spoken three times. The words are pronounced 'Pan pan' from the French panne (a breakdown).
Personal Locator Beacon (PLB)	Personal radio distress beacon for alerting and transmitting homing signals.
Pilot-in-command	The pilot responsible for the operation and safety of the aircraft during flight time.
Planning Stage	A period during a SAR incident when an effective plan of operations is developed.
Position	A geographical location normally expressed in degrees and minutes of latitude and longitude.
Positioning	Process of determining a position that can serve as a geographical reference for conducting a search.
Possibility Area	(1) The smallest area containing all possible survivor or search object locations. (2) For a scenario, the possibility area is the smallest area containing all possible survivor or search object locations that are consistent with the facts and assumptions used to form the scenario.
Primary Swell	The swell system having the greatest height from trough to crest.

Term	Definition
Probability Area	The area in which a missing craft and/or survivors are most likely to be found taking into account possible errors in the navigation of the missing craft and of the search craft.
Probability of Detection (POD)	The probability of the search object being detected, assuming it was in the areas that were searched. POD is a function of coverage factor, sensor, search conditions and the accuracy with which the search facility navigates its assigned search pattern. Measures sensor effectiveness under the prevailing search conditions.
Rescue	An operation to retrieve persons in distress, provide for their initial medical or other needs, and deliver them to a place of safety.
Rescue Coordination Centre (RCC)	The centre from which a SAR incident is controlled and coordinated. The Centre is known by various terms such as the Rescue Coordination Centre, Major Incident Room, Operations Room or Base Station. For the purposes of this manual these centres will be known generically as the Rescue Coordination Centre or RCC.
Rhumb Line	A line of constant bearing that cuts meridians at the same angle. It is a straight line between two points on a Mercator projection chart.
SafetyNET	Communications service provided via Inmarsat-C for promulgation of maritime safety information, including shore-to-ship relays of distress alerts and communications for search and rescue coordination.
SAR Datum Buoy	Droppable floating beacon used to determine actual sea current, or to serve as a location reference.
Scenario	A consistent set of known facts and assumptions describing what may have happened to the survivors and/or craft.
Sea	Condition of the surface resulting from waves and swells.
Sea Current (SC)	The residual current when currents caused by tides and local winds are subtracted from local current. It is the main, large-scale flow of ocean waters.
Search	An operation, normally coordinated by a rescue coordination centre, using available personnel and facilities to locate persons in distress.
Search and Rescue Authority	The authority within an Administration with overall responsibility for establishing and providing SAR services and ensuring that planning for those services is properly coordinated. The national SAR authority in Australia is the Australian Maritime Safety Authority with each of the States and Territories Polices services and the Department of Defence being the SAR Authorities within their jurisdictions. In Australia, the SAR Authority takes on the roles of the SAR Coordinator as described in the IAMSAR Manual.
Search Action Plan	Message, normally developed by the SMC, for passing instructions to SAR facilities and agencies participating in a SAR mission.
Search and Rescue Briefing Officer	An officer appointed, usually by the SMC, to brief departing SAR facilities and debrief returning SAR facilities.
Search and Rescue Case	Any potential or actual distress about which a facility opens a documentary file, whether or not SAR resources are dispatched.
Search and Rescue Coordinating Communications	Communications necessary for the coordination of facilities participating in a search and rescue operation.
Search and Rescue Facility	Any mobile resource, including designated search and rescue units, used to conduct search and rescue operations. The terms unit and asset maybe interchangeable with facility.

Term	Definition
Search and Rescue Incident	Any situation requiring notification and alerting of the SAR system and which may require SAR operations.
Search and Rescue Liaison Officer	An officer assigned to promote coordination during a SAR mission.
Search and Rescue Mission Coordinator (SMC)	The suitably trained or qualified official temporarily assigned to coordinate a response to an actual or apparent distress situation. In Australia, the acronym SARMC is also used in some jurisdictions. Throughout this manual, the terms SMC and SARMC are synonymous. Some jurisdictions also use the term A/SARMC to describe the SMC's assistants.
Search and Rescue Plan	A general term used to describe documents which exist at all levels of the national and international search and rescue structure to describe goals, arrangements, and procedures which support the provision of search and rescue services.
Search and Rescue Point of Contact (SPOC)	Rescue coordination centres and other established and recognised national points of contact that can accept responsibility to receive COSPAS-SARSAT alert data to enable the rescue of persons in distress.
Search and Rescue Region (SRR)	An area of defined dimensions, associated with the national rescue coordination centre (JRCC Australia), within which search and rescue services are provided.
Search and Rescue Service	The performance of distress monitoring, communication, coordination and search and rescue functions, including provision of medical advice, initial medical assistance, or medical evacuation, through the use of public and private resources, including cooperating aircraft, vessels and other craft and installations.
Search and Rescue Stage	Typical steps in the orderly progression of SAR missions. These are normally Awareness, Initial Action, Planning, Operations, and Mission Conclusion.
Search and Rescue Unit (SRU)	An aircraft, vessel of search team with equipment suitable for the expeditious conduct of search and rescue operations.
Search Area	The area determined by the search planner to be searched. This area may be subdivided into search sub-areas for the purpose of assigning specific responsibilities to the available search facilities.
Search Endurance (T)	The amount of "productive" search time available at the scene also known as Available Search Hours (ASH). This figure is usually taken to be 85% of the on-scene endurance, leaving a 15% allowance for investigating sightings and navigating turns at the ends of search legs.
Search Facility Position Error (Y)	Probable error in a search craft's position, based on its navigational capabilities.
Search Object	A ship, aircraft, or other craft missing or in distress or survivors or related search objects or evidence for which a search is being conducted.
Search Pattern	A procedure assigned to an SRU for searching a specified area.
Search Radius	The actual search radius used to plan the search and to assign search facilities. It is usually based on adjustments to the optimal search radius that are needed for operational reasons.
Secondary Swells	Swell systems of less height than the primary swell.
SECURITE	The safety signal 'SECURITÉ' indicates that the station is about to transmit a message concerning the safety of navigation or providing an important meteorological warning. The safety message is preceded by the word "SECURITE"

Term	Definition
	spoken three times. The word is pronounced 'See-cure-e-tay' from the French sécurité.
Sensors	Human senses (sight, hearing, touch, etc.), those of specially trained animals (such as dogs), or electronic devices used to detect the object of a search.
Set	Direction towards which a current flows
Situation Report (SITREP)	Reports, from the OSC to the SMC or the SMC to interested agencies, to keep them informed of on-scene conditions and mission progress.
Splash Point	A term used in marine search planning to indicate a known point of distress. Also referred to by its acronym SP.
SOS	Internationally recognised signal of distress, made by any method of signalling.
Surface Drift	Vector sum of total water current and leeway. Sometimes called Total Drift.
Surface Picture (SURPIC)	A list or graphic display from a ship reporting system of information about vessels in the vicinity of a distress situation that may be called upon to render assistance.
Surface Position	The position of the search object on the earth's surface at the time of initial distress, or its first contact with the earth's surface.
Sweep Width (W)	A measure of the effectiveness with which a particular sensor can detect a particular object under specific environmental conditions.
Swell	Condition of the surface caused by a distant wind system. The individual swell appears to be regular and smooth with considerable distance between rounded crests.
Swell Direction	The direction from which a swell is moving. The direction toward which a swell is moving is called the down swell direction.
Swell Face	The side of the swell toward the observer. The backside is the side away from the observer. These definitions apply regardless of the direction of swell movement.
Swell Velocity	Velocity with which the swells advance with relation to a fixed reference point, measured in knots.
Time of Closest Approach (TCA)	Time during a satellite pass when the satellite is closest to a signal source.
Total Drift Error (De)	Sum of the individual drift errors from the time of the incident until datum. Used when determining Total Probable Error (E).
Total Probable Error (E)	The estimated error in the datum position. It is the square root of the sum of the squares of the total drift error, initial position error, and search facility position error.
Total Water Current (TWC)	The vector sum of currents affecting search objects.
Track Spacing (S)	The distance between adjacent parallel search tracks.
Triage	The process of sorting survivors according to medical condition and assigning them priorities for emergency care, treatment, and evacuation.
True Air Speed (TAS)	The speed an aircraft is travelling through the air mass. TAS corrected for wind equals ground speed.
Uncertainty Phase	A situation wherein uncertainty exists as to the safety of an aircraft or a marine vessel, and of the persons on board.
Unreported	A situation where a craft has failed to report its location or status when expected and remains missing.

Term	Definition
Vector	A graphic representation of a physical quantity or measurement, such as wind velocity, having both magnitude and direction.
Visual Flight Rules (VFR)	Rules governing procedures for conducting flight under visual meteorological conditions. In addition, used by pilots and controllers to indicate type of flight plan.
Visual Meteorological Conditions (VMC)	Meteorological conditions expressed in terms of visibility, distance from cloud, and ceiling equal to or better than specified minima.
Wave (or Chop)	The condition of the surface caused by local wind and characterised by irregularity, short distance between crests, whitecaps, and breaking motion.
Wind-Corrected Heading	The actual heading an aircraft is required to fly to make good an intended course.
Wind Current (WC)	The water current generated by wind acting upon the surface of water over a period of time.

This page has intentionally been left blank